



HAND TOOLS AND POWER TOOL ACCESSORIES

Your Speedy Effortless Tools ►

Profile

JK Files (India) Limited is a 71-year old company built on a legacy of excellence synonymous with Raymond Limited. With four ISO 9001:2008 certified plants at Ratnagiri, Chiplun, Pithampur and Vapi, our products are marketed all over the country by 600 dealers. Our footprint extends to countries in Europe as well as USA, UK and Latin America with a product range that consists of Files, HSS Drills, HSS Taps, Hand Tools, Power Tools, Power Tool Accessories.

We are committed to combining mechanical and digital engineering to produce innovative solutions for you. Blending the brands core ideas with the changing requirement of time, we are launching a new outlook with JK Superdrive. This is not just a change in name but also a change in the way we will do our business. It promises new tamper-proof packaging, renewed marketing support and open channels of communication.

Our promise of being your speedy effortless tools combines cutting edge technology with reliability and quality. As you set forth to build a new tomorrow, you will find a reliable partner by your side.

We welcome you to the world of JK Superdrive.



JK Files & Engineering Limited

(Formerly known as JK Files (India) Limited)
A subsidiary of **Raymond** Limited

Quality Policy

We shall provide products and services that meets our Customers' requirements on time, every time.

We shall provide all possible assistance to our Customers wherever required to get benefits from the use of our products.

We shall continually improve our processes to understand changing customer needs of QUALITY, COST and DELIVERY which is vital for our continued growth and success.

We will continually improve the effectiveness and compliance of our QUALITY MANAGEMENT SYSTEM with the involvement of employees at all levels.

We are committed to ensure safety of all our facilities.



Hemant Lakhotiya
C.E.O.- Tools & Hardware Business



Files made to
International
specifications

B.S.S. : British Standard Specification 498:Part 1; 1960: Metric Values

A.S.S. : Federal (American Pattern) Standard Specification GCG-F-325b

Index

Sr. No.	Particulars	Pg.No.
01	Pliers	01
02	Wrench	04
03	Screw Drivers	06
04	Hex Allen Keys	10
05	Iron Jack Plane, Block Plane & C-clamp	13
06	Spanners	14
07	Hex & Bi-Hex Sockets	17
08	Hammers	20
09	Hack Saw Blades	23
10	PTFE Tape & Combination Stone	25
11	Hole Saw & Arbors	26
12	TCT & Diamond Blades	28
13	Abrasive Wheels	31
14	SDS Plus Hammer Drill Bits	35

 Hand Tools

 Power Tool Accessories



Pliers



Long Nose Plier (Red Sleeve)



Long Nose Plier (Soft Grip Sleeve)



Combination Plier



Regular Plier

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800475	6	150	5	80
SD7800003	8	200	5	60

- Conforming to IS:6078-1986
- Made of High Grade Steel
- Ideal for Home, Industry, Plumber & Automobile
- Slip free Comfort Grip Handle
- Induction hardened cutter excellent for wire cutting

Long Nose Plier (Red Sleeve)

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800476	6	150	5	80

- Conforming to IS: 5658:1990

Combination Plier

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800001	6	170	10	40
SD7800002	8	206	6	48

- Conforming to IS: 3650:1981
- Tested for quality: As per IS-2615-1981
- Chrome Vanadium Steel
- Soft grip handle for better tube gripping
- Induction hardened cutter excellent for wire cutting

Long Nose Plier (Soft Grip Sleeve)

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800004	6	150	5	40

- Conforming to IS: 5658:1990
- Chrome Vanadium Steel

Wire Stripper





Side Cutting Plier



Carpenter Pincer



**Water Pump Plier
(Box Type)**



Wire Stripper

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800841	5	125	10	240
SD7800007	6	150	10	240

- Conforming to IS:5087-1969
- Nickel Chrome Plated Spring
- Induction Hardened Cutter
- Cellulose Acetate Sleeve for FIRM grip

Side Cutting Plier

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800006	6	150	5	80

- Conforming to IS:4378 - 1990
- Slip free Comfort Grip Handle

Carpenter Pincer

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800008	8	200	10	60

- Conforming to IS: 4095-1991

Water Pump Plier (Box Type)

JK Code	Size (inch)	Length(mm)	Std. Pkg.(Pc.)	Master Pkg. (Pc.)
SD7800005	10	250	10	40

- Conforming to IS: 6118-1991
- Made of High Grade Steel
- Slip free Comfort Grip Handle



Wrench



**Pipe Wrench
(Stillson Type)**



**Adjustable Wrench
(Phosphate finish)**



Pipe Wrench (Stillson Type)


Product Description	JK Code	Size inch 	Length mm 	Std. Pkg. (Pc.) 	Master Pkg. (Pc.)
Pipe Wrench (Stillson Type)	SD7800077	10	250	6	36
	SD7800017	12	300	6	24
With Corrugated Box	SD7800018	14	350	6	18
	SD7800019	18	450	6	12
	SD7800020	24	600	1	6

- Conforming to IS: 4003 - 1978
- Drop forged high grade steel
- Anti-slip handle for comfort grip
- Induction hardened jaws
- Unique double spring system

Adjustable Wrench

Product Description	JK Code	Size inch 	Length mm 	Std. Pkg. (Pc.) 	Master Pkg. (Pc.)
Phosphate Finish	SD7800009	6	155	10	120
	SD7800010	8	205	10	60
	SD7800011	10	255	6	24
	SD7800012	12	305	6	24
	SD7800678	15	381	4	16

- Conforming to IS: 6149-1984
- Heavy duty handle & special screw for smooth knurling
- Laser marked measurement scale for indicating correct jaw opening
- Special design for better torque
- Made of high grade steel



Screw Drivers



**Flat Tip Screw Driver
(Engineer's Pattern)**



**Hammer Type
Screw Driver**



Flat Tip Screw Driver (Engineer's Pattern)

JK Code	Blade Dia. (mm)	Blade Length (mm)	Tip Dimension (mm)	Std. Pkg. (Pc.)
SD7800846	4	75	4.0 X 0.6	10
SD7800847	4	100	4.0 X 0.6	10
SD7800848	4	150	4.0 X 0.6	10
SD7800849	4	200	4.0 X 0.6	10
SD7800850	5	75	5.0 X 0.7	10
SD7800851	5	150	5.0 X 0.7	10
SD7800852	6	100	6.0 X 0.9	10
SD7800853	6	150	6.0 X 0.9	10
SD7800854	6	200	6.0 X 0.9	10
SD7800855	6	250	6.0 X 0.9	10
SD7800856	8	150	8.0 X 1.0	10
SD7800857	8	200	8.0 X 1.0	10
SD7800858	8	250	8.0 X 1.0	10
SD7800859	8	300	8.0 X 1.0	10
SD7800860	10	200	10.0 X 1.4	10
SD7800861	10	250	10.0 X 1.4	10
SD7800862	10	300	10.0 X 1.4	10

• Conforming to IS: 844-1979

Hammer Type Screw Driver

JK Code	Blade Dia. (mm)	Blade Length (mm)	Tip Dimension (mm)	Std. Pkg. (Pc.)
SD7800871	8	200	8.0 X 1.0	10

• Conforming to IS: 844-1979

Screw Driver Set 605



Screw Driver Set 608



Phillips Head Screw Driver


Phillips Head Screw Driver

JK Code	Blade Dia (mm)	Blade Length (mm)	Tip Dimension (mm)	Std. Pkg. (Pc.)
SD7800867	5	100	1	10
SD7800868	5	150	1	10
SD7800869	5	200	1	10
SD7800870	6	150	2	10

• Conforming to IS: 844-1979 and Geometry of Phillips Head as per BS : 2559-1994

Screw Driver Set (with Neon Bulb 500 v)

Product Description	Type & Dimensions (mm)	Std. Pkg. (Pc.)
Screw Driver Set 608 with Extension Sd7800873	F 6 x 0.9, 5 x 0.7, 3 x 0.5 Phillips No. 2, 1 & 0 Round Poker, Extn. Blade	10
Screw Driver Set 605 SD7800872	F 6 x 0.9, 3 x 0.5, Phillips No. 2, 1 & Square Poker	10





Electrical Pattern (with insulated sleeve)

JK Code	Blade Dia (mm)	Blade Length (mm)	Tip Dimension (mm)	Std. Pkg. (Pc.)
SD7800863	5	100	5.0 x 0.7	10
SD7800864	5	150	5.0 x 0.7	10
SD7800865	5	200	5.0 x 0.7	10
SD7800866	5	250	5.0 x 0.7	10

Double Ender

JK Code	Product Description	Blade Dia (mm)	Blade Length (mm)	Tip Dimension (mm)	Std. Pkg. (Pc.)
SD7800845NV	Small DE600	6	145	6.0 x 0.9	20
SD7800844NV	Large DE601	6	190	6.0 x 0.9	20
SD7800843NV	Extra Long DEXL601	6	315	6.0 x 0.9	20

• Blade conforming to IS: 844-1979

Double Ender (Without Sleeve)

JK Code	Product Description	Blade Dia (mm)	Blade Length (mm)	Tip Dimension (mm)	Std. Pkg. (Pc.)
SD7800933	Small DE600	6	145	6.0 x 0.9	20
SD7800932	Large DE601	6	190	6.0 x 0.9	20
SD7800931	Extra Long DEXL601	6	315	6.0 x 0.9	20

• Blade conforming to IS: 844-1979

Tester (with Neon Bulb 500 V)

JK Code	Product Description	Blade Dia (mm)	Blade Length (mm)	Tip Dimension (mm)	Std. Pkg. (Pc.)
SD7800099	Regular Tester 603	3	130	3.0 x 0.5	10

• Conforming to IS: 5579-1985
 • Wear resistance brass nut
 • Shock free to ensure safety

Electrical Pattern (with Insulated Sleeve)

Double Ender Without Sleeve



Double Ender



Tester (with Neon Bulb 500 V)





Hex
Allen Keys





**Hex Allen Keys -
Standard Series
(Black Finish)**



**Hex Allen Keys Set (9 Pcs).
Standard Series (Black Finish)**



Hex Allen Keys - Standard Series (Black Finish)

JK Code	Tip Size 	Length mm	Std. Pkg. (Pc.)
SD7800546	1.5	45	20
SD7800547	2	50	20
SD7800548	2.5	56	20
SD7800549	3	63	20
SD7800550	4	70	20
SD7800551	5	80	20
SD7800552	6	90	20
SD7800553	8	100	10
SD7800554	10	112	10




Hex Allen Keys Set (9 Pcs.) - Standard Series (Black Finish)

JK Code	Tip Size 	Std. Pkg. (Pc.)
SD7800542	1.5,2,2.5, 3, 4, 5, 6, 8, 10	10
SD7800738	1/16, 5/64, 3/32, 1/8, 5/32 3/16, 7/32, 5/16, 3/8	10



Hex Allen Keys

Hex Allen Keys -
Long Ball Point Series



Hex Allen Keys Set (9 Pcs).
Long Ball Point Series
Black Finish



Hex Allen Keys - Long Ball Point Series (Black Finish)

JK Code	Tip Size	Length mm	Std. Pkg. (Pc.)
SD7800565	2	82	20
SD7800566	2.5	88	20
SD7800568	4	104	20
SD7800569	5	115	20
SD7800570	6	138	20
SD7800571	8	156	10
SD7800572	10	168	10

Hex Allen Keys Set (9 Pcs.) - Long Ball Point Series (Black Finish)

JK Code	Tip Size	Std. Pkg. (Pc.)	JK Code
SD7800544	1.5,2,2.5, 3, 4, 5, 6, 8, 10	10	

- Made of High grade steel
- Conforming to IS 3082-1988



Fine Grained Iron Jack Plane



C-Clamp



**Iron Jack Plane
Block Plane
& C-Clamp**



Black Plane



Fine Grained Iron Jack Plane

JK Code	Product Description	Size (blade)	Size (length)	Std. Pkg. (Pc.)	Master Pkg. (Pc.)
SD7800170	STD 4 NO.	50	250	1	12
SD7800171	STD 5 NO.	50	355	1	10
SD7800172	STD 6 NO.	60	450	1	8

- Conforming to IS: 15385 - 2003
- Brass Nuts & Brass Adjusting Screw-Anti Rust and long lasting
- Induction hardened cutting blade
- Body made of Fine Grey Iron Casting
- Ergonomically designed handle for comfort grip

Block Plane

JK Code	Product Description	Size (Blade)	Size (Length)	Std. Pkg. (Pc.)	Master Pkg. (Pc.)
SD7800692	102	35	140	1	30
SD7800693	110	40	175	1	20



C-Clamp

JK Code	Size (inch)	Size(mm)	Weight (Gms)	Std. Pkg. (Pc.)	Master Pkg. (Pc.)
SD7800454	2	50	370	10	60
SD7800455	3	75	625	10	40
SD7800453	4	100	875	6	24
SD7800451	6	150	1830	5	10
SD7800452	8	200	2700	1	8


- JK C-Clamp conforms to IS 9181-1988
- Drop forged from high grade steel
- Swivel pad for better angular grip



Spanners



Double Open Ended Spanner



Double Open Ended Spanner

JK Code	Length (mm)	Std. Pkg. (Pc.)	Mas. Pkg. (Pc.)
SD7800053	6 x 7	10	1000
SD7800054	8 x 9	10	800
SD7800055	10 x 11	10	600
SD7800056	12 x 13	10	400
SD7800057	14 x 15	10	300
SD7800058	16 x 17	10	250
SD7800059	18 x 19	10	150
SD7800060	20 x 22	10	150
SD7800061	21 x 23	5	120
SD7800062	24 x 26	5	80
SD7800063	24 x 27	5	80
SD7800064	25 x 28	5	80
SD7800065	30 x 32	5	60
SD7800066	22 x 24	5	120
SD7800070	32 x 36	2	50
SD7800071	36 x 41	2	50
SD7800072	41 x 46	2	30
SD7800073	46 x 50	2	30
SD7800074	50 x 55	2	30
SD7800075	1/4 x 5/16	10	300
SD7800076	3/16 x 1/4	10	400
SD7800077	5/16 x 7/16	10	250
SD7800078	7/16 x 9/16	5	80
SD7800079	9/16 x 11/16	5	60



• Conforming to IS:2028-1998

Double Open Ended Spanner Sets

JK Code	Length (mm)	Std. Pkg. (Pc.)
SD7800067	8 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22)	1
SD7800068	10 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27)	1
SD7800069	12 PCS SET (6X7, 8X9, 10X11, 12X13, 14X15, 16X17, 18X19, 20X22, 21X23, 24X27, 25X28, 30X32)	1



Ring Spanner



Ring Spanner

JK Code	Length (mm)	Std. Pkg. (Pc.)	Mas. Pkg. (Pc.)
SD7800080	6 x 7	10	400
SD7800081	8 x 9	10	300
SD7800082	10 x 11	10	250
SD7800083	12 x 13	10	200
SD7800084	14 x 15	10	150
SD7800085	16 x 17	10	120
SD7800086	18 x 19	10	120
SD7800087	20 x 22	10	80
SD7800088	21 x 23	10	60
SD7800089	22 x 24	10	60
SD78000876	24 x 26	5	40
SD7800090	24 x 27	5	40
SD7800091	25 x 28	5	40
SD7800092	30 x 32	5	40
SD7800719	3/16" x 1/4"	10	200
SD7800720	1/4" x 5/16"	10	150
SD7800721	5/16" x 3/8"	10	120
SD7800793	5/16" x 7/16"	10	120
SD7800724	7/16" x 9/16"	5	40
SD7800725	9/16" x 11/16"	5	40

• Conforming to IS:2029-1998

Ring Spanner Sets

JK Code	Length (mm)	Mas. Pkg. (Pc.)
SD7800093	8 Pcs set (6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22)	1
SD7800094	10 Pcs set (6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27)	1
SD7800095	12 Pcs set (6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32)	1

• High quality drop forged • Chrome Vanadium Steel • Precision hardened & heat treated

Ring Spanner Sets





Hex & Bi-Hex Sockets



Hex & Bi-Hex Sockets
(1/2" Square Drive)



Hex & Bi-Hex Sockets (1/2" Square Drive)

JK Code Hex	Size (mm)	Std. Pkg. (Pc.)	JK Code Bi-HEx
SD7800479	8	10	SD7800502
SD7800480	9	10	SD7800503
SD7800481	10	10	SD7800504
SD7800482	11	10	SD7800505
SD7800483	12	10	SD7800506
SD7800484	13	10	SD7800507
SD7800485	14	10	SD7800508
SD7800486	15	10	SD7800509
SD7800487	16	10	SD7800510
SD7800488	17	10	SD7800511
SD7800489	18	10	SD7800512
SD7800490	19	10	SD7800513
SD7800491	20	10	SD7800514
SD7800492	21	10	SD7800515
SD7800493	22	10	SD7800516
SD7800494	23	10	SD7800517
SD7800495	24	10	SD7800518
SD7800496	26	10	SD7800519
SD7800497	27	10	SD7800520
SD7800498	28	10	SD7800521
SD7800499	29	10	SD7800522
SD7800500	30	10	SD7800523
SD7800501	32	10	SD7800524

27 Pcs. Sockets Set
(1/2" Square Drive)



27 Pcs. Sockets Set (1/2" Square Drive)

27 Pcs. Set	JK Code	Contents for Hex & Bi-Hex	Std. Pkg. (Pc.)
Hex	SD7800525	1 Pc. Each of 1/2" Socket: 8,9,10,	1
Bi-Hex	SD7800526	11,12,13,14,15,16,17,18,19, 20,21,22,23,24,27,30,32mm; Extension Bar: 125 & 250 mm; Sliding T-Bar : 250mm, 1/2"Drive Spark Plug: 16 & 21 mm, Universal Joint: 75 mm, Reversible Ratchet: 255 mm	1



Socket Accessories (1/2" Square Drive)

Product Description	JK Code	Length (mm)	Std. Pkg. (Pc.)
Reversible Rachet Handle	SD7800527	255	1
Flexible Handle	SD7800530	250	1
Extension Bar	SD7800532	75	5
	SD7800533	125	5
	SD7800534	250	5
Sliding T-Bar	SD7800531	300	1
	SD7800624	250	1
L-Handle	SD7800528	250	1
	SD7800529	300	1

Product Description	JK Code	Length (mm)	Std. Pkg. (Pc.)
Universal Joint	SD7800535	75	5



Hammers



Claw Hammer
American Type Tubular Steel
Handle with Rubber Grip



Claw Hammer
American Type with
Wooden Handle



Ball Pein Hammer
with Wooden Handle



Claw Hammer American Type Tubular Steel Handle with Rubber Grip

JK Code	Weight (Grams)	Std. Pkg. (Pc.)	Mas. Pkg. (Pc.)
SD7800025	250	2	40

• Conforming to IS: 6546 - 1989

Claw Hammer American Type with Wooden Handle

JK Code	Weight (Grams)	Std. Pkg. (Pc.)	Mas. Pkg. (Pc.)
SD7800026	500	2	30

• Conforming to IS: 6546 - 1989

Ball Pein Hammer with Wooden Handle

JK Code	Weight (Grams)	Std. Pkg. (Pc.)	Mas. Pkg. (Pc.)
SD7800027	100	6	96
SD7800028	200	6	60
SD7800029	300	2	48
SD7800030	500	2	30
SD7800031	600	2	24
SD7800032	800	2	20

Cross Pein Hammer

JK Code	Weight (Grams)	Std. Pkg. (Pc.)	Mas. Pkg. (Pc.)
SD7800033	100	6	96
SD7800034	200	6	60
SD7800035	300	2	48
SD7800036	500	2	30
SD7800037	600	2	24
SD7800038	800	2	20

Machinist Hammer
with Wooden Handle



Soft Mallet Hammer
Tubular Steel Handle with Rubber Grip



Soft Mallet Hammer (Spares)



Machinist Hammer with Wooden Handle

JK Code	Weight (Grams) 	Std. Pkg. (Pc.) 	Mas. Pkg. (Pc.)
SD7800039	100	6	96
SD7800040	200	6	60
SD7800041	300	6	48
SD7800042	500	2	30

- Heads are Induction Hardened which gives you reliable superior product with longer life
- Made of high grade steel conforming to IS: 841-1983 for Hammer Specification and IS 4953-1989 for Dimensions of wooden handle

Soft Mallet Hammer Tubular Steel Handle with Rubber Grip

JK Code	Size (mm)	Length (mm)	Std. Pkg. (Pc.) 	Mas. Pkg. (Pc.)
SD7800043	20	265	4	100
SD7800044	25	270	4	60
SD7800045	30	290	4	48
SD7800046	40	320	2	30
SD7800047	50	340	2	20

Soft Mallet Hammer (Spares)

JK Code	Size (mm)	Length (mm)	Std. Pkg. (Pc.) 	Mas. Pkg. (Pc.)
SD7800048	20	21	10	180
SD7800049	25	25	10	150
SD7800050	30	30	10	120
SD7800051	40	38	10	100
SD7800052	50	40	10	100

- Conforming to IS: 10838-1984
- CA Hardened Nylon faced insert for long life
- Mirror polished finish
- Tubular Steel Handle with Rubber grip




Hack Saw Blades



HSS Hand Hack Saw Blades



Bi-Metal Hand Hack Saw Blades



HSS Hand Hack Saw Blades

JK Code	Nominal Size (mm)	L x W x T (inch)	TPI
SD7800582	300 x 12.5 x 0.63	12 x 1/2 x 0.025	18
SD7800583	300 x 12.5 x 0.63	12 x 1/2 x 0.025	24

Std. Pkg. (pc.) : 100 Pcs.

Bi-Metal Hand Hack Saw Blades

JK Code	Nominal Size (mm)	L x W x T (inch)	TPI
SD7800890	300 x 12.5 x 0.63	12 x 1/2 x 0.025	18
SD7800891	300 x 12.5 x 0.63	12 x 1/2 x 0.025	24

Std. Pkg. (pc.) : 100 Pcs.



PTFE Tape

PTFE Tape



PTFE Tape

JK Code	Product Description	Width	Std. Pkg. (Pc)
---------	---------------------	-------	----------------

SD7800785 10 m PTFE Thread Sealing Tape 12mm 10

Combination Stone



Combination Stone

Combination Stone

JK Code	Size (inch)	Size(mm)	Std. Pkg. (Pc)	Master Pkg. (Pc.)
SD7800690	6	155	1	50

* Used for sharpening edges of cutting devices.





Hole Saw & Arbors





**Hole Saw Bi-Metal
Variable Pitch**



**Arbors
(with HSS Drill)**

Hole Saw Bi-Metal Variable Pitch

JK Code	Diameter <small>mm</small>	Diameter <small>inch</small>	JK Code	Diameter <small>mm</small>	Diameter <small>inch</small>
SD9060084	14*	9/16	SD9060105	46*	1.13/16
SD9060085	16*	5/8	SD9060106	48*	1.7/8
SD9060086	17*	11/16	SD9060107	51	2
SD9060087	19	3/4	SD9060108	52*	2.1/16
SD9060088	20	25/32	SD9060109	54	2.1/8
SD9060089	21*	13/16	SD9060110	57*	2.1/4
SD9060090	22	7/8	SD9060111	59*	2.5/16
SD9060091	24*	15/16	SD9060112	60*	2.3/8
SD9060092	25	1	SD9060113	64*	2.1/2
SD9060093	27	1.1/16	SD9060114	67	2.5/8
SD9060094	29	1.1/8	SD9060115	70*	2.3/4
SD9060095	30*	1.3/16	SD9060116	76	3
SD9060096	32	1.1/4	SD9060117	80	3.5/32
SD9060097	33*	1.5/16	SD9060118	83	3.1/4
SD9060098	35*	1.3/8	SD9060119	89	3.1/2
SD9060099	37*	1.7/16	SD9060079	100	3.15/16
SD9060100	38	1.1/2	SD9060080	102	4
SD9060101	40*	1.9/6	SD9060081	108	4.1/4
SD9060102	41*	1.5/8	SD9060082	111	4.3/8
SD9060103	43*	1.11/16	SD9060083	114	4.1/2
SD9060104	44	1.3/4			

* Star marked sizes are only available on request.



TCT Hole Saw

Arbors (with HSS Drill)

JK Code	Type	Diameter <small>mm</small>	Std. Pkg. (Pc.)
SD9060122	J1	14-30	1
SD9060123	J2	32-114	1

TCT Hole Saw - For Wood

JK Code	Diameter <small>mm</small>	Std. Pkg. (Pc.)
SD9060201	35	1



TCT & Diamond Blades





Diamond Blades



GranTile-Cut (Turbo Cutting)



Fine-Mould (Continuous)



Brickstone-Cut (Segmented)



Grantile-Cut (Turbo Cutting)

JK Code	Size (inch) 	Size (mm) 	Std. Pkg. (Pc.)
SD9060246	4	110	10
SD9060179	6	150	10
SD9060166	7	175	10

Fine-Mould (Continuous)

JK Code	Size (inch) 	Size (mm) 	Std. Pkg. (Pc.)
SD9060245	4	110	10
SD9060175	5	125	10
SD9060178	6	150	10
SD9060254	7	175	10

Brickstone-Cut (Segmented)

JK Code	Size (inch) 	Size (mm) 	Std. Pkg. (Pc.)
SD9060240	4	110	10
SD9060319*	4	110	20
SD9060247	5	125	10
SD9060250	6	150	10
SD9060253	7	175	10

* - Available in Bulk Packing



TCT Blades



TCT Circular Saw for Aluminium Cutting



TCT Circular Saw for Wood Cutting



TCT Expert Circular Saw for Wood Cutting



TCT Circular Saw for Wood Cutting

JK Code	Size (inch x mm x teeth)	Std. Pkg. (Pc.)
SD9060256	4X20X30T	10
SD9060241	4X20X40T	10
SD9060257	5X20X40T	10
SD9060258	6X25.4X40T	10
SD9060053	6X25.4X60T	10
SD9060260	7X25.4X40T	10
SD9060261	7X25.4X60T	10
SD9060056	8X25.4X40T	1
SD9060057	8X25.4X60T	1
SD9060058	10X25.4X40T	1
SD9060059	10X25.4X60T	1
SD9060062	12X25.4X100T	1
SD9060063	12X25.4X120T	1
SD9060064	12X25.4X40T	1
SD9060065	12X25.4X60T	1
SD9060066	12X25.4X80T	1
SD9060069	14X25.4X100T	1
SD9060070	14X25.4X120T	1
SD9060071	14X25.4X40T	1
SD9060072	14X25.4X60T	1
SD9060073	14X25.4X80T	1

TCT Expert Circular Saw for Wood Cutting

JK Code	Size (inch x mm x teeth)	Std. Pkg. (Pc.)
SD9060266	4X20X30T	10
SD9060267	4X20X40T	10
SD9060268	5X20X40T	10

TCT Circular Saw for Aluminium Cutting

JK Code	Size (inch x mm x teeth)	Std. Pkg. (Pc.)
SD9060338	10X25.4X100T	1
SD9060339	10X25.4X120T	1
SD9060060	12X25.4X100T	1
SD9060061	12X25.4X120T	1
SD9060067	14X25.4X100T	1
SD9060068	14X25.4X120T	1
SD9060074	16X25.4X100T	1
SD9060075	16X25.4X120T	1



Abrasive Wheels





Abrasive Wheels

Ultrathin Green Cutting Disc Pro

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060262	105 X 1.2 X 16	50



Ultrathin Green Cutting Disc Pro

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060288	107 X 1.2 X 16	50



Ultrathin Black Cutting Disc

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060239	105 X 1.2 X 16	50


Ultrathin Green Cutting Disc Single Mesh



Ultrathin Red Cutting Disc

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060286	107 X 1.2 X 16	50

Ultrathin Black Cutting Disc





Abrasive Wheels



Flat Cutting Disc for Metal (Black)



Flat Cutting Disc for Metal (Green)



Flat Cutting Disc for Metal (Red)

Flat Cutting Disc for Metal (Black)

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060128	355X2.8X25.4	25

Flat Cutting Disc for Metal (Green)

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060285	355X2.8X25.4	25

Flat Cutting Disc for Metal (Red)

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060316	355X2.8X25.4	25





Abrasive Wheels



DC Wheels

JK Code	Size in mm (dia x thickness x bore)	Std. Pkg. (Pc.)
SD9060271	100 X 4 X 16 (BLACK)	25
SD9060272	100 X 6 X 16 (BLACK)	25
SD9060287	180 X 6 X 22 (BLACK)	25
SD9060296	100 X 4 X 16 (GREEN)	25
SD9060297	100 X 6 X 16 (GREEN)	25
SD9060299	100 X 4 X 16 (RED)	30
SD9060298	100 X 6 X 16 (RED)	25

DC Wheels



Flap Discs

JK Code	Size (mm)	Std. Pkg. (Pc.)
SD9060293	100 X 16 - GRIT 60	20
SD9060294	100 X 16 - GRIT 80	20
SD9060295	100 X 16 - GRIT 120	20

Flap Discs



Sanding Discs

JK Code	Size (mm)	Std. Pkg. (Pc.)
SD9060281	125MM - GRIT 60	100
SD9060282	125MM - GRIT 80	100
SD9060283	125MM - GRIT 100	100
SD9060284	125MM - GRIT 120	100

Sanding Discs



Fibre Discs

SDS Hammer Drill Bits & Power Bits



Double Headed Power Bits

JK Code	Size (mm)	Std. Pkg. (Pc.)
SD9060325	POWER BITS 50MM - PH2 X PH2	10
SD9060326	POWER BITS 50MM - PH2 X SL6	10
SD9060242	POWER BITS 65MM - PH2 X PH2	10
SD9060243	POWER BITS 65MM - PH2 X SL6	10
SD9060327	POWER BITS 110MM - PH2 X PH2	10
SD9060328	POWER BITS 110MM - PH2 X SL6	10

SDS Plus Hammer Drill Bits

JK Code	Diameter x Working Length x Total Length (mm)	Std. Pkg. (Pc.)
SD9060000	5 X 50 X 110	10
SD9060001	5X 100 X 160	10
SD9060002	6 X 50 X 110	10
SD9060003	6 X 100 X 160	10
SD9060047	6.5 X 50 X 110	10
SD9060048	6.5 X 100 X 160	10
SD9060004	8 X 50 X 110	10
SD9060005	8 X 100 X 160	10
SD9060006	10 X 100 X 160	10
SD9060007	10 X 150 X 210	1
SD9060008	10 X 200 X 260	1
SD9060009	12 X 100 X 160	10
SD9060010	12 X 150 X 210	1
SD9060011	12 X 200 X 260	1
SD9060012	12 X 240 X 310	1
SD9060013	13 X 100 X 160	1
SD9060014	13 X 150 X 210	1
SD9060015	13 X 200 X 260	1
SD9060016	13 X 240 X 310	1
SD9060017	14 X 100 X 160	1
SD9060018	14 X 150 X 210	1
SD9060019	14 X 200 X 260	1
SD9060020	14 X 240 X 310	1
SD9060021	16 X 100 X 160	1
SD9060022	16 X 150 X 210	1
SD9060023	16 X 200 X 260	1
SD9060024	16 X 240 X 310	1
SD9060025	18 X 100 X 160	1
SD9060026	18 X 150 X 210	1
SD9060027	18 X 200 X 260	1
SD9060028	18 X 240 X 310	1
SD9060029	20 X 200 X 260	1
SD9060030	20 X 240 X 310	1
SD9060032	20 X 300 X 360	1
SD9060033	20 X 340 X 400	1
SD9060031	20 X 400 X 460	1
SD9060034	22 X 240 X 310	1
SD9060036	22 X 300 X 360	1
SD9060037	22 X 340 X 400	1
SD9060035	22 X 400 X 460	1
SD9060038	24 X 240 X 310	1
SD9060040	24 X 300 X 360	1
SD9060041	24 X 340 X 400	1
SD9060039	24 X 400 X 460	1
SD9060042	25 X 200 X 260	1
SD9060043	25 X 240 X 310	1
SD9060045	25 X 300 X 360	1
SD9060046	25 X 340 X 400	1
SD9060044	25 X 400 X 460	1

SDS Plus Hammer Drill Bits

SDS Minus Hammer Drill Bits



Double Headed Power Bits

SDS Minus Hammer Drill Bits

JK Code	Diameter x Working Length x Total Length (mm)	Std. Pkg. (Pc.)
SD9060330	5 X 50 X 110	10
SD9060334	5 X 100 X 160	10
SD9060329	6 X 50 X 110	10
SD9060320	6 X 100 X 160	10
SD9060331	6.5 X 50 X 110	10
SD9060332	6.5 X 100 X 160	10
SD9060333	8 X 50 X 110	10
SD9060322	8 X 100 X 160	10
SD9060323	10 X 100 X 160	10
SD9060324	12 X 100 X 160	10



NOTES

Other Range



Files



HSS Drills



Power Tools



Hand Tools



HSS Taps



Power Tool Accessories

Contributing to industrial growth for the last 71 years





JK Files & Engineering Limited



(Formerly known as JK Files (India) Limited)

A subsidiary of **raymond** Limited

Regd. Off.: New Hind House, N. M. Marg, Ballard Estate, Mumbai - 400 001. Maharashtra, India.

Sales Off.: P.O. Jekegram, Pokhran Road No.1, Thane - 400 606. Maharashtra, India.

Phone: (+91-22) 6152 7000 Fax : (+91-22) 6152 8819 / 20 Email: jkftsales@raymond.in / jkftexport@raymond.in

Log on to: www.jksuperdrive.com