



POWER TOOLS

Your Speedy Effortless Tools ►►►

Profile

JK Files & Engineering Limited, a subsidiary of Raymond Ltd enjoys leadership position as the world's largest manufacturer of steel files with a share of over 25% of global capacity in 2020, with a presence in over 55 countries. The company is the market leader in the files segment in India with a market share of over 60% by sales volume in fiscal 2021.

With trusted relationships that are built over the past seven decades, JK Files & Engineering has earned a repute as a manufacturer offering expansive and versatile range of custom made files and tools as per BS, FS, ISI and DIN standards or as specified by customers. The company also has a strong presence in the Asian, African and Latin American regions and is the largest brand in the African market with a market share of over 50% by volume in steel files in 2020. In addition, it is amongst the leading players in the drills segment in India.

Our organization is backed by five ISO 9001-2015 certified plants strategically located at Ratnagiri & Chiplun in Maharashtra, Pithampur in Madhya Pradesh and Vapi in Gujarat. All plants are equipped with in- house rolling mills that ensure premium quality as well as easy product availability with wide spread of SKU's in the market. Our strong commitment to quality has helped us build an enviable reputation even in technologically advanced markets like Europe, USA and UK.

We export files and drills to Europe, Latin America, Africa, North America and Asia-Pacific under our own brand as well as white labelled products.

The brand 'JK' extends its rich legacy of technological know-how and expertise in manufacturing files and drills to quality products in Hand tools and Power tools categories. The expansive portfolio includes a wide variety of handheld electric powered and non-powered tools such as Marble Cutter, Angle grinder, Impact Drill, Electric Drill, Cut-Off Saw, Pliers, Wrenches, Hammers, Spanners, Screw Drivers, Iron Jack Planes, Hole Saw, Hand Hack Saw Blades, TCT Circular Saw, Sockets etc. Our objective is to simplify laborious tasks carried out by professionals such as carpenters, masons, plumbers, electricians, metal fabricators and MRO industry with high degree of efficiency and superior quality.

Building resilience through a resilient supply chain ably supported by local warehouses aligned to strong dealer distributor model. Our pan-India distribution network consists of over 730 active distributors with a retail reach of over 150,000 outlets spanning over 600 towns in India.

We Welcome you to the world of JK Superdrive



JK MAINI
PRECISION TECHNOLOGY
A Raymond GROUP COMPANY



Quality Policy

We shall provide products and services that meets our Customers' requirements on time, every time.

We shall provide all possible assistance to our Customers wherever required to get benefits from the use of our products.

*We shall continually improve our processes to understand changing customer needs of **QUALITY, COST and DELIVERY** which is vital for our continued growth and success.*

*We will continually improve the effectiveness and compliance of our **QUALITY MANAGEMENT SYSTEM** with the involvement of employees at all levels.*

We are committed to ensure safety of all our facilities.



Parag Khare

Chief Business Officer
T&H Business




JK MAINI
PRECISION TECHNOLOGY
A *raymond* GROUP COMPANY



ANGLE GRINDER

JKAG100N

9005065C



Power
Tools



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.



KEY FEATURES

- Adjustable wheel guard
- Externally accessible Carbon brush
- Two position side handle

SPECIFICATION

Power Input (Watts)	: 850W
Voltage (V)	: 220V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 11000RPM
Wheel Diameter (MM)	: 100MM
Weight (KG)	: 1.7KG


RECOMMENDED ACCESSORIES



4" Ultra Thin
Cutting Disc
Red



4" Ultra Thin
Cutting Disc
Green



4" Ultra Thin
Cutting Disc
Black



Black DC Wheel
4 X 4



Black DC Wheel
4 X 6



Red DC Wheel
4 X 4



Red DC Wheel
4 X 4



4" Flap Disc
Grit #60



4" Flap Disc
Grit #80




4" Flap Disc
Grit #120



Green DC Wheel
4 X 4



Green DC Wheel
4 X 6



Power
Tools

ANGLE GRINDER

JKAG100HD

9005078



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.



KEY FEATURES

- Dust Proof Construction for Long Lasting Performance
- Heavy Duty Motor to avoid High Heat Generation even in the Toughest of Applications
- Multi- Purpose Usage

SPECIFICATION

Power Input (Watts)	: 850W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 11000RPM
Wheel Diameter (MM)	: 100MM
Weight (KG)	: 1.5KG

RECOMMENDED ACCESSORIES



4" Ultra Thin
Cutting Disc
Red



4" Ultra Thin
Cutting Disc
Green



4" Ultra Thin
Cutting Disc
Black



Black DC Wheel
4 X 6



Red DC Wheel
4 X 4



Red DC Wheel
4 X 4



4" Flap Disc
Grit #60



4" Flap Disc
Grit #80



4" Flap Disc
Grit #120



Green DC Wheel
4 X 4



Green DC Wheel
4 X 6



4" Diamond
Cutting Blade
GranTile-Cut



4" Diamond
Cutting Blade
BrickStone-Cut




4" Diamond
Cutting Blade
Fine-Mould

ANGLE GRINDER

JKAG4C

9005111



Power
Tools



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.



KEY FEATURES

- Dust Proof Construction for Long Lasting Performance
- Heavy Duty Motor to avoid High Heat Generation even in the Toughest of Applications
- Slim Body Easy Handling

SPECIFICATION

Power Input (Watts)	: 850W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 11000RPM
Wheel Diameter (MM)	: 100MM
Weight (KG)	: 1.6Kg

RECOMMENDED ACCESSORIES



4" Ultra Thin
Cutting Disc
Red



4" Ultra Thin
Cutting Disc
Green



4" Ultra Thin
Cutting Disc
Black



Black DC Wheel
4 X 6



Red DC Wheel
4 X 4



Red DC Wheel
4 X 4



4" Flap Disc
Grit #60



4" Flap Disc
Grit #80



4" Flap Disc
Grit #120



Green DC Wheel
4 X 4



Green DC Wheel
4 X 6




4" Diamond
Cutting Blade
GranTile-Cut



4" Diamond
Cutting Blade
BrickStone-Cut



4" Diamond
Cutting Blade
Fine-Mould



**Power
Tools**

ANGLE GRINDER

JKAG45C

9005124



Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.



KEY FEATURES

- Dust Proof Construction for Long Lasting Performance
- Heavy Duty Motor to avoid High Heat Generation even in the Toughest of Applications
- Side Switch for Single hand Operation

SPECIFICATION

Power Input (Watts)	: 850W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 11000RPM
Wheel Diameter (MM)	: 100MM
Weight (KG)	: 1.6Kg

RECOMMENDED ACCESSORIES



4" Ultra Thin
Cutting Disc
Red



4" Ultra Thin
Cutting Disc
Green



4" Ultra Thin
Cutting Disc
Black



Black DC Wheel
4 X 4



Black DC Wheel
4 X 6



Red DC Wheel
4 X 4



Red DC Wheel
4 X 4



4" Flap Disc
Grit #60



4" Flap Disc
Grit #80



4" Flap Disc
Grit #120



Green DC Wheel
4 X 4



Green DC Wheel
4 X 6



4" Diamond
Cutting Blade
GranTile-Cut



4" Diamond
Cutting Blade
BrickStone-Cut




4" Diamond
Cutting Blade
Fine-Mould

ANGLE GRINDER

JKAG125

9005034



Power
Tools



KEY FEATURES

- Three Position Side Handle
- Rear Handle Design for Comfortable use
- For Metal & Construction Applications

SPECIFICATION

Power Input (Watts)	: 1200W
Voltage (V)	: 220V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 8500RPM
Wheel Diameter (MM)	: 125MM
Weight (KG)	: 2.9Kg

Accessories in Box:

Clamp Washer Set, Handle, Spanner, Wheel Guard.

RECOMMENDED ACCESSORIES




5" Cutting Disc
Red



5" Cutting Disc
Green



5" Cutting Disc
Black



Power Tools

MARBLE CUTTER

JKCM4N
9005082C



Accessories in Box:

Spanner Set, Carbon Brush Set,
Water Supply Pipe, Tap Nozzle, Water supply nozzle.

KEY FEATURES

- 1250W Powerful motor
- Lock on switch
- Carbon brush externally accessible

SPECIFICATION

Power Input (Watts)	: 1250W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 12000RPM
Wheel Diameter (MM)	: 110MM
Cutting Depth (MM)	: 33MM
Weight (KG)	: 3Kg



RECOMMENDED ACCESSORIES



4" Diamond
Cutting
Blade
GranTile-Cut



4" Diamond
Cutting
Blade
BrickStone-Cut




4" Diamond
Cutting
Blade
Fine-Mould



4" Diamond
Cutting
Blade
Tile cut

MARBLE CUTTER

JKCM5N
9005084C



Power
Tools



Accessories in Box:

Wrench, Socket, Carbon Brush Set.

KEY FEATURES

- Lock On Switch for Finger Free Run
- Powerful 1300 W motor for tough applications
- Wing Nut for Easy Depth Adjustment
- Bevel Cutting

SPECIFICATION

Power Input (Watts)	: 1300W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 11000RPM
Wheel Diameter (MM)	: 125MM
Cutting Depth (MM)	: 40MM
Weight (KG)	: 3 KG

RECOMMENDED ACCESSORIES



TCT Circular Saw



TCT Expert
Circular Saw



Tile Cutting
Blade




4" Diamond
Cutting Blade
GranTile-Cut



4" Diamond
Cutting Blade
BrickStone-Cut



4" Diamond
Cutting Blade
Fine-Mould



Power Tools

CIRCULAR SAW

JKCS7
9005094



Accessories in Box:

Allen Key, Blade, Parallel Guide.

KEY FEATURES

- Externally Accessible Carbon Brush
- Protection Guard
- Adjustable Height
- Bevel Adjustment

SPECIFICATION

Power Input (Watts)	: 1100W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 4500RPM
Weight (KG)	: 3.1 KG



RECOMMENDED ACCESSORIES



TCT Circular Saw
for
Wood Cutting




TCT Expert Circular
Saw for
Wood Cutting

CUT OFF SAW

JKCS14HD

9005036



Power
Tools



Accessories in Box:
Hex Key, Cutting Blade.




RECOMMENDED ACCESSORIES



14" Flat Cutting Disc
for Metal
Black



14" Flat Cutting Disc
for Metal
Green




14" Flat Cutting Disc
for Metal
Red

KEY FEATURES

- Robust Design For Tough Site Conditions
- Movable Wheel Guard
- Highest Power in Class
- Dual Side Degree Cutting

SPECIFICATION

Power Input (Watts)	: 2300W
Voltage (V)	: 230V
Frequency (Hz)	: 50 Hz
No Load Speed (RPM)	: 4300 RPM
Collet Size Wheel Dia (mm)	: 355mm
Weight (KG)	: 17 KG



Power Tools

CORDLESS DRILL

JKCD10
9005081



Accessories in Box:

Battery, Adaptor, PH2-PH2 Bit.

KEY FEATURES

- Two speed gearbox for both drilling & Screw driving operations
- Compact build & Light weight design for easy & fatigue free operations
- Ergonomically designed soft grip handle to provide a perfect grip
- Keyless chuck for faster & easy tool change
- Forward/ Reverse functions for screw driving in/ out

SPECIFICATION


Drilling Capacity(mm)	: 10mm
Battery (V)	: 12V, 1.5Ah - LI-ION
No Load Speed (RPM)-1	: 0-350 RPM
No Load Speed (RPM)-2	: 0-1300RPM
Max Torque (N-m)	: 23 N-m
Weight (gms)	: 926 gms

RECOMMENDED ACCESSORIES



CORDLESS DRILL

JKCD20
9005099



Power
Tools



KEY FEATURES

- Two speed gearbox for both drilling & Screw driving operations
- Compact build & Light weight design for easy & fatigue free operations
- Ergonomically designed soft grip handle to provide a perfect grip
- Keyless chuck for faster & easy tool change
- Forward/ Reverse functions for screw driving in/ out


SPECIFICATION

Drilling Capacity(mm)	: 10MM
Battery (V)	: 20V, 2Ah - LI-ION
No Load Speed (RPM)-1	: 0-400 RPM
No Load Speed (RPM)-2	: 0-1350 RPM
Max Torque (N-m)	: 24 N-n
Weight (gms)	: 1.28Kg

RECOMMENDED ACCESSORIES

Accessories in Box:
Battery, Adaptor, PH2-PH2 Bit.





Power Tools

ELECTRIC DRILL

JKED10
9005073



Accessories in Box:

Chuck Key, Carbon Brush Set



KEY FEATURES

- Variable Speed for Screw-Driving
- Reverse/ Forward Switch for Ease of Operation
- Lock On Switch for Fatigue less Operation

SPECIFICATION


Power Input (Watts)	: 450W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 0-3000 RPM
Chuck Clamp Range (mm)	: 1.5-10 mm
Weight (KG)	: 1.3 KG

RECOMMENDED ACCESSORIES



13mm IMPACT DRILL

JKID13
9005096C



Power
Tools



Accessories in Box:

Chuck Key, Side Handle, Depth Scale.

RECOMMENDED ACCESSORIES

KEY FEATURES

- Ergonomically Designed Soft Grip Handle for Fatigue Free Operation
- Reverse/ Forward Switch for ease of Operation
- Variable Speed Switch for Screw Driving
- Lock On Switch for Finger Free Run

SPECIFICATION

Power Input (Watts)	: 750W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load speed (RPM)	: 0-2800RPM
Weight (KG)	: 1.8Kg



TCT Hole Saw
For Wood



Double Headed
Power Bits




Magnetic Nut
Setter



Arbor
(With HSS Drill)



Hole Saw Bi-Metal
Variable Pitch



Power Tools

13mm IMPACT DRILL

JKID13N

9005072



Accessories in Box:

Chuck Key, Side Handle, Depth Scale.

RECOMMENDED ACCESSORIES

KEY FEATURES

- Ergonomically Designed Soft Grip Handle for Fatigue Free Operation
- Reverse/ Forward Switch for ease of Operation
- Variable Speed Switch for Screw Driving
- Lock On Switch for Finger Free Run

SPECIFICATION

Power Input (Watts)	: 550W
Voltage (V)	: 230V
Frequency (Hz)	: 50 Hz
No Load speed (RPM)	: 0-3000 RPM
Chuck Clamp Range (mm)	: 1.5- 13mm
Weight (KG)	: 2 KG
Impact Rate (BPM)	: 0-48000 BPM



TCT Hole Saw
For Wood



Double Headed
Power Bits



Magnetic Nut
Setter




Arbor
(With HSS Drill)



Hole Saw Bi-Metal
Variable Pitch

ROTARY HAMMER

JKRH20
9005076C



Power
Tools



Accessories in Box:

SDS Drill $\varnothing$ 6 mm, SDS Drill $\varnothing$ 8 mm, SDS Drill $\varnothing$ 10 mm,
Carbon Brush Set, Side Handle, Depth Scale.

KEY FEATURES

- Motor Designed to withstand high temperatures of upto 200 degrees
- Shock Proof Class II Double Insulation
- Lock On Switch for Finger free operation

SPECIFICATION


Power Input (Watts)	: 500W
Voltage (V)	: 230V
Frequency (Hz)	: 50 Hz
No Load Speed (RPM)	: 1000 RPM
Chuck Clamp Range(mm)	: 16 mm - Concrete / 13mm Steel
Weight (KG)	: 2.5 KG
Impact Rate (BPM)	: 3900BPM
Impact Energy (J)	: 1.7 J

RECOMMENDED ACCESSORIES



SDS Plus
Hammer
Drill Bit
Gross Tip

SDS Plus Flat Tip
Hammer Drill Bit



Power Tools

ROTARY HAMMER

JKRH26
9005085C



KEY FEATURES

- Lock on Switch for Finger Free Operation
- Ergonomic Soft Grip Handle
- SDS Plus Chuck Forward Reverse Function
- Powerful Motor for Heavy Duty Drilling

SPECIFICATION

Power Input (Watts)	: 800W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 1100RPM
Impact Energy (J)	: 3 J
Chuck Clamp Range (mm)	: 22 mm - Concrete / 13 mm Steel
Weight (KG)	: 2.6 KG

Accessories in Box:

Flat Chisel, Point Chisel, SDS Drill $\phi 6$ mm, SDS Drill $\phi 8$ mm, SDS Drill $\phi 10$ mm, Carbon Brush Set, Side Handle, Depth Scale.

RECOMMENDED ACCESSORIES




SDS Plus
Hammer
Drill Bit
Gross Tip

SDS Plus Single Tip
Hammer Drill Bit

DEMOLITION HAMMER

JKDH5
9005077



Power
Tools



Accessories in Box:

Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.


KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability

SPECIFICATION

Power Input (Watts)	: 900W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
Impact Rate (IMP)	: 2900IPM
Impact Energy (J)	: 17J
Vibration (m/s^2)	: 8 (m/s^2)
Weight (KG)	: 5Kg





**Power
Tools**

DEMOLITION HAMMER

**JKDH7
9005131**



Accessories in Box:

*Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.*

KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability


SPECIFICATION

Power Input (Watts)	: 1200W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
Impact Rate (IPM)	: 3000IPM
Impact Energy (J)	: 21J
Weight (KG)	: 7Kg



DEMOLITION HAMMER

JKDH11
9005132



Power
Tools



Accessories in Box:

Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.


KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability

SPECIFICATION

Power Input (Watts)	: 1500W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
Impact Rate (IPM)	: 2000IPM
Impact Energy (J)	: 25J
Weight (KG)	: 11Kg





Power Tools

DEMOLITION HAMMER

JKDH16

9005133



KEY FEATURES

- Lock on switch for Finger Free Operation
- Key less easy to operate tool holder
- Hex socket screws for easy serviceability

SPECIFICATION

Power Input (Watts)	: 1600W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
Impact Rate (IPM)	: 1500IPM
Impact Energy (J)	: 46J
Weight (KG)	: 16Kg


Accessories in Box:

Flat Chisel, Point Chisel, Wrench, Hex Key,
Carbon Brush Set, Side Handle, Gear.



PLANER

JKEP1-82
9005066C



Power
Tools



Accessories in Box:

Socket, Carbon Brush Set, Depth Guide,
Blade Assembly Guide, Blade Sharpening Guide.


KEY FEATURES

- V Groove in Base Plate for Wood Chamfering
- 550W tough motor
- Sturdy straight type depth adjustment

SPECIFICATION

Power Input (Watts)	: 550W
Recommended Planing Depth (MM)	: 1 MM
Planing Width (MM)	: 82 MM
Rebating Depth (MM)	: 0-8 MM
No Load Speed (RPM)	: 17000 RPM
Weight (KG)	: 2.3 KG





Power Tools

ROUTER

JKRT12N
9005095



Accessories in Box:


Carbon Brush Set, Depth Scale, Spanner Set, Spring Mandrel, Template Gauge, T-Bar, L Rod, Straight Rod, Guide Bushing, Guide Wheel.

KEY FEATURES

- 12mm Collet Size
- Depth Scale for Fine Adjustment
- High Power - 1600 W
- 4 Pillar Construction
- Lock On Switch


SPECIFICATION

Power Input (Watts)	: 1600W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 22000 RPM
Collet Size (mm)	: 12 MM
Weight (KG)	: 4.45 KG



Wood Trimmer

JKTR6
9005087



Power
Tools



Accessories in Box:

Carbon Brush Set, Depth Scale, Spanner Set, Spring Mandrel, Template Gauge, T-Bar, L Rod, Straight Rod, Guide Bushing, Guide Wheel.


KEY FEATURES

- Heavy Duty
- Adjustable Depth
- Transparent Base

SPECIFICATION

Power Input (Watts)	: 500W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 30000RPM
Collet Size (mm)	: 6.3MM
Weight (KG)	: 1.2KG





**Power
Tools**

Wood Trimmer

JKJS85

9005129



Accessories in Box:

Carbon Brush Set, Depth Scale, Spanner Set, Spring Mandrel, Template Gauge, T-Bar, L Rod, Straight Rod, Guide Bushing, Guide Wheel.

KEY FEATURES

- 710W Powerful Motor
- Speed Control Switch
- Swivel Base Plate
- Height and Depth Adjustment Switch


SPECIFICATION

Power Input (Watts)	: 710W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 800-3000RPM
Weight (KG)	: 2.5KG




HOT AIR GUN

JKHG
9005075



Power
Tools




KEY FEATURES

- Heat Insulation cap for user safety
- 2000W Powerful coil
- Built in Stand for faster Cooling
- Light Weight Design for Lower Operator Fatigue
- Rocker Switch for Dual Stage Airflow & Comfortable Use

SPECIFICATION

Power Input (Watts)	: 2000W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
Working Temperature (°C)	: Min 350°C / Max 500°C
Air Flow Rate (m ³ /min)	: 2.2 m ³ /min
Weight (KG)	: 0.7 KG



**Power
Tools**

AIR BLOWER

**JKBLLT
9005134**



Accessories in Box:

Nozzle,

KEY FEATURES

- Light Weight Design
- Blow & Suction
- Lock on Switch for Hands-free Operation
- External Carbon Brush Access


SPECIFICATION

Power Input (Watts)	: 500W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 13000RPM
Air Flow (m3/min)	: 2.8m3/MIN
Weight (KG)	: 1.28KG



AIR BLOWER

JKBL
9005032



Power
Tools



Accessories in Box:
Nozzle, Dust Collection Bag


KEY FEATURES

- Light Weight Design
- Lock on switch
- High Airflow Rate
- External Carbon Brush Access

SPECIFICATION

Power Input (Watts)	: 440W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 13000RPM
Air Flow (m ³ /min)	: 2.8 m ³ /min
Weight (KG)	: 1.5 KG





**Power
Tools**

AIR BLOWER

JKBLVS

9005126



Accessories in Box:
Nozzle, Dust Collection Bag

KEY FEATURES

- Variable Speed Switch
- Lock on switch
- High Airflow Rate
- External Carbon Brush Access


SPECIFICATION

Power Input (Watts)	: 500W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 13000RPM
Air Flow (m ³ /min)	: 2.8m ³ /MIN
Weight (KG)	: 1.28KG



ELECTRIC PUTTY MIXER

JKEM800N
9005070



Power
Tools



Accessories in Box:

Handle, Carbon Brush Set, Mixer Rod.


KEY FEATURES

- Easy to access carbon brush
- 3 position side handle
- 800W powerful motor

SPECIFICATION

Power Input (Watts)	: 1020W
Voltage (V)	: 230V
Frequency (Hz)	: 50Hz
No Load Speed (RPM)	: 550RPM
Weight (KG)	: 3 KG





**Power
Tools**

CONCRETE VIBRATOR

JKCV15
9005088



Accessories in Box:

Carbon Brush Set, Rubber Shaft

KEY FEATURES

- Effortlessly Removes Air Bubbles
- High Vibration Frequency
- Lock On Switch


SPECIFICATION

Power Input (Watts)	: 950W
Voltage (V)	: 220V
Frequency (Hz)	: 50 Hz
No Load Speed (RPM)	: 4600 RPM
Shaft Length (mm)	: 1.5m
Weight (KG)	: 2 KG



GASOLINE CHAINSAW

JKCS18
9005098C



Power
Tools



KEY FEATURES

- Brake Handle to Avoid any Mishaps
- Automatic Oil Feeding System
- Starter with Easy-Start
- 2 Stroke Engine
- Anti -Vibration System
- Easy to Carry


SPECIFICATION

Power Input (Watts)	: 2.2K W
No Load Speed (RPM)	: 3000RPM
Bar Length (INCH)	: 18 INCH
Weight (KG)	: 8 KG
Displacement (CC)	: 58 CC
Fuel Tank Capacity (ml)	: 550 ML
Oil Tank Capacity (ml)	: 260 ML

Accessories in Box:

Flat screwdriver, Spark Plug socket with Screwdriver,
Chainsaw File, Oil Can, Hex Key- 2 N, Screw- 2N,
Feling Dog/ Protector, Chain.





Power Tools

GASOLINE CHAINSAW

JKCS22N
9005074C



KEY FEATURES

- Brake Handle to Avoid any Mishaps
- Automatic Oil Feeding System
- Starter with Easy-Start
- 2 Stroke Engine
- Anti -Vibration System
- Easy to Carry

SPECIFICATION

Power Input (Watts)	: 2.2K W
No Load Speed (RPM)	: 3000 RPM
Bar Length (INCH)	: 22 INCH
Weight (KG)	: 8.5 KG
Displacement (CC)	: 58 CC
Fuel Tank Capacity (ml)	: 550 ml
Oil Tank Capacity (ml)	: 260 ml

Accessories in Box:


Flat screwdriver, Spark Plug socket with Screwdriver,
Chainsaw File, Oil Can, Hex Key- 2 N, Screw- 2N,
Feling Dog/ Protector, Chain.



Welding Machine

JKWM-200A

9005101C



Power
Tools



KEY FEATURES

- Hot Start & Anti Stick
- Class II Insulation
- Advanced IGBT Inverter


SPECIFICATION

Input Voltage (VAC)	:	220±10%
Input Frequency (Hz)	:	50/60
Rated Output Current (A)	:	120
Max. Current Range (A)	:	20-200
No Load Voltage (V)	:	60
Efficiency	:	85%
Weight	:	2.5Kg

Accessories in Box:

Belt, Face Shield, Wire Brush, Welding Rods





**Power
Tools**

Welding Machine

JKWM-220A

9005102C



KEY FEATURES

- Hot Start & Anti Stick
- Class II Insulation
- Advanced IGBT Inverter

SPECIFICATION

Input Voltage (VAC)	:	220 $\pm$ 10%
Input Frequency (Hz)	:	50/60
Rated Output Current (A)	:	140
Max. Current Range (A)	:	20-220
No Load Voltage (V)	:	70
Efficiency	:	85%
Weight	:	2.8Kg

Accessories in Box:


Belt, Face Shield, Wire Brush, Welding Rods



Welding Machine

JKWM-250A

9005103C



Power
Tools



KEY FEATURES

- Hot Start & Anti Stick
- Class II Insulation
- Advanced IGBT Inverter
- Arc Force Adjustment

SPECIFICATION

Input Voltage (VAC)	:	220±10%
Input Frequency (Hz)	:	50/60
Rated Output Current (A)	:	160
Max. Current Range (A)	:	20-250
No Load Voltage (V)	:	72
Efficiency	:	85%
Weight	:	3Kg

Accessories in Box:

Belt, Face Shield, Wire Brush, Welding Rods



[illegible]

[illegible]



OUR OTHER RANGE OF PRODUCTS



FILES

HSS DRILLS

HSS TAPS

HAND TOOLS

**POWER TOOL
ACCESSORIES**



Regd. Off.: New Hind House, N. M. Marg, Ballard Estate, Mumbai - 400 001. Maharashtra, India.

Sales Off.: P.O. Jekegram, Pokhran Road No.1, Thane - 400 606. Maharashtra, India.

Phone: (+91-22) 6152 7000 **Fax :** (+91-22) 6152 8819 / 20 **Email:** jkftsales@raymond.in / jkftexport@raymond.in

Log on to: www.jksuperdrive.com